

LUCIDE

GENERAL SPECIFICATIONS



RECOMMENDED LUCIDE LIGHT SOURCE

49008/05/60

Light source dimmable : No

Light source incl. : Yes

General

Dimensions LxWxH : 12 cm x 6.3 cm x 11.5 cm

Height minimum : 11.5 cm

Height maximum : 11.5 cm

Dimensions shade LxWxH : 6.3 cm x 6.3cm x 7.2 cm

Main material : Stainless steel

Ceiling rose material : Stainless steel

Color : Satin chrome+Black

Style : Modern

Shape : Round

Weight : 0.43kg

Warranty : 2 years

Product specifications

Dimmable : No

Light direction : Downlight

Adjustable in height : No

Directional : Directional

Cable : No

Cable length : No

Sensor : Without sensor

Control : Light Switch Control

IP-Class : 44

Electric class : 1


Light source including : Yes

Lamp socket : GU10

Light source number : 1

Power requirements : 220-240V~50Hz

Bulb type & maximum wattage : GU10 LED 5W



IP44

IP54

IP65

IP67

Explanation of IP numbers for degrees of protection, see safety instruction manual in the box.

For more specifications of this product please visit

www.lucide.com

LUCIDE

TECHNICAL DRAWING&DIMENSIONS


ARNE-LED

Item number : 14867/05/12

EAN code : 5411212143884

Item number : 14867/05/30

EAN code : 5411212143891




For more specifications, dimensions please visit

www.lucide.com

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS



Dit product bevat een lichtbron van energie-efficiëntieklasse G (oude klasse A+).
 Ce produit contient une source lumineuse de classe énergétique G (ancienne classe A+).
 This product contains a light source of energy efficiency class G (old class A+).
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G (alte Klasse A+).
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej G (stara klasa A+).